TOWELINK
MINING ENGINES · PARTS · SERVICE

Shanghai Towelink Trading Co., Ltd.

上海拓维行贸易有限公司

High-horsepower Cummins mining engines
& parts for Komatsu · BELAZ · Hitachi · Terex · Liebherr







上海拓维行贸易有限公司
Shanghai Towelink Trading Co., Ltd.

TOWELINK
MINING ENGINES · PARTS · SERVICE

CONTENT



Application-Komatsu

QSK23-C 5
KTTA38-C 6
QSK38-C 7
QSK50-C1575 8
QSK60-C1875 9
KTTA50-C2000 10
QSK50-C2000 11
QSK78 12

Application-Belaz

KTA19-C600 13
KTTA19-C700 14
QSK19-C755 15
KTA38-C1050 16
QST30-C1050 17
KTA38-C1200 18
KTA50-C1600 19
QSK50-C2000 20
QSK60-C2237 21
QSK60-C2500 22

Application-Hitachi

QSK23 23
QSK38 24
QSK50 25
QSK60 26
QSK50 27

Application-Terex

KTA19-C525 28
QSK19-C700 29
KTA38-C1050 30
QSK50 31
QSK60 32
QSK60 33

Application-Liebherr

QSK38 34
QSK45 35
QSK50 36



COMPANY PROFILE

Shanghai Towelink Trading Co., Ltd. (Towelink) is an export company based in Shanghai, China, supplying high-horsepower diesel engines, engine parts and technical support for mining equipment. We work with authorized Cummins distributors in China, so every product comes from established supply channels.

The company supplies and supports:

· complete Cummins engines (new and remanufactured) for haul trucks and excavators;

· engine parts: turbochargers, injectors and fuel system, cylinder heads, liners, pistons, bearings, gasket sets and overhaul kits, filters, ECMs;

· backup / alternative supply for urgent orders and long-lead parts;

· technical support for installation and commissioning, with on-site service on request.

Applications cover Komatsu, BELAZ, Hitachi, Terex and Liebherr mining fleets. Before quoting, we verify the equipment model and the engine nameplate (ESN / CPL) or part number, so the customer receives exactly the right configuration.

Our partners hold over RMB 200 million of engines and parts in stock in their own warehouses in China, with pre-shipment testing and an experienced service team. Towelink is their designated overseas trading partner. Real stock can be shown by video, engines are bench-tested before shipment, and export packing and shipping documents are coordinated from Shanghai.

Every engine and part is 100% genuine, with factory codes and part numbers. Customers may appoint an independent inspection company at port; if any item is not genuine or has a quality problem, we refund the full deposit and cover all logistics costs and losses. Small parts orders are welcome as a first trial of our service.

Genuine supply

100% original engines & parts with factory codes; independent inspection welcome

Large stock

Over RMB 200 million in partners' warehouses; real stock shown by video

Bench tested

Engines tested before shipment, with test video




QSK23-C

Komatsu PC1250

APPLICATION
-KOMATSU

Model	Cummins QSK23-C
Application	Komatsu PC1250
Start Up	Electric start
Power	860 HP (641 kW)
Weight	2,955 kg
Fuel system	HPI
Others	











KTTA38-C

Komatsu PC3000-6

APPLICATION
-KOMATSU

Model	Cummins KTTA38-C1260 / K1500E
Application	Komatsu PC3000-6
Start Up	Electric start
Power	1,260 HP (940 kW)
Weight	4,400 kg
Fuel system	CENTRY
Others	Includes alternator, starter motor, flywheel











QSK38-C

Komatsu PC3000-7

APPLICATION -KOMATSU

Model	Cummins QSK38-C
Application	Komatsu PC3000-7
Start Up	Electric start
Power	1,260 HP (940 kW)
Weight	5,600 kg
Fuel system	MCRS
Others	With pre-lube pump, alternator, flywheel











QSK50-C1575

Komatsu HD1500


APPLICATION -KOMATSU

Model	Cummins QSK50-C1575
Application	Komatsu HD1500
Start Up	Electric start
Power	1,575 HP (1,175 kW)
Weight	5,800 kg
Fuel system	MCRS
Others	Includes alternator, starter motor, flywheel, fuel-water separator











QSK60-C1875

Komatsu PC4000

APPLICATION -KOMATSU

Model	Cummins QSK60-C1875
Application	Komatsu PC4000
Start Up	Electric start
Power	1,875 HP (1,399 kW)
Weight	8,000 kg
Fuel system	MCRS
Others	Includes alternator, starter motor, flywheel












KTTA50-C2000


Komatsu 730E-6

APPLICATION
-KOMATSU

Model	Cummins KTTA50-C2000
Application	Komatsu 730E-6
Start Up	Electric start
Power	2,000 HP (1,492 kW)
Weight	4,846 kg
Fuel system	CENTRY / CENSE
Others	











QSK50-C2000


Komatsu 730E-7


APPLICATION
-KOMATSU

Model	Cummins QSK50-C2000
Application	Komatsu 730E-7
Start Up	Electric start
Power	2,000 HP (1,492 kW)
Weight	5,800 kg
Fuel system	MCRS
Others	Includes alternator, starter motor, flywheel, eliminator oil filter












QSK78

Komatsu 930E

APPLICATION
-KOMATSU

Model	Cummins QSK78
Application	Komatsu 930E
Start Up	Electric start
Power	3,500 HP (2,610 kW)
Weight	10,800 kg
Fuel system	HPI
Others	











KTA19-C600

Belaz 75473

APPLICATION
-BELAZ

Model	Cummins KTA19-C600
Application	Belaz 75473
Start Up	Electric start
Power	600 HP (448 kW)
Weight	2,000 kg
Fuel system	PT
Others	With alternator, fan drive, air compressor










KTTA19-C700


Belaz 7555B

APPLICATION -BELAZ

Model	Cummins KTTA19-C700
Application	Belaz 7555B
Start Up	Electric start
Power	700 HP (522 kW)
Weight	2,400 kg
Fuel system	PT
Others	With alternator, starter motor, fan drive, air compressor











QSK19-C755

Belaz 7555E

APPLICATION -BELAZ

Model	Cummins QSK19-C755
Application	Belaz 7555E
Start Up	Electric start
Power	755 HP (563 kW)
Weight	2,000 kg
Fuel system	MCRS
Others	With alternator, starter motor, fan drive, air compressor











KTA38-C1050

Belaz 75581 / 75583


APPLICATION
-BELAZ

Model	Cummins KTA38-C1050
Application	Belaz 75581 / 75583
Start Up	Electric start
Power	1,050 HP (783 kW)
Weight	4,400 kg
Fuel system	CENTRY
Others	With CENTRY system, pre-lube motor, air compressor, alternator











QST30-C1050


Belaz 75581 / 75583

APPLICATION
-BELAZ

Model	Cummins QST30-C1050
Application	Belaz 75581 / 75583
Start Up	Electric start
Power	1,050 HP (783 kW)
Weight	3,328 kg
Fuel system	HPI
Others	












KTA38-C1200

Belaz 75145

APPLICATION -BELAZ

Model	Cummins KTA38-C1200
Application	Belaz 75145
Start Up	Electric start
Power	1,200 HP (895 kW)
Weight	4,600 kg
Fuel system	CENTRY
Others	With pre-lube motor, air compressor, alternator











KTA50-C1600

Belaz 75131

APPLICATION
-BELAZ

Model	Cummins KTA50-C1600
Application	Belaz 75131
Start Up	Air start
Power	1,600 HP (1,194 kW)
Weight	5,800 kg
Fuel system	CENTRY
Others	With CENTRY system, pre-lube pump, air starter, fan clutch, air compressor











QSK50-C2000

Belaz 75180

APPLICATION
-BELAZ

Model	Cummins QSK50-C2000
Application	Belaz 75180
Start Up	Air start
Power	2,000 HP (1,491 kW)
Weight	6,675 kg
Fuel system	MCRS
Others	With pre-lube pump, flywheel, fan clutch












QSK60-C2237

Belaz 75306 / 75307

APPLICATION -BELAZ

Model	Cummins QSK60-C2237
Application	Belaz 75306 / 75307
Start Up	Air start
Power	2,300 HP (1,715 kW)
Weight	7,675 kg
Fuel system	HPI
Others	Fan clutch, flywheel, pre-lube pump, imported alternator, maintenance-free oil filter











QSK60-C2500

Belaz 75313

APPLICATION
-BELAZ

Model	Cummins QSK60-C2500
Application	Belaz 75313
Start Up	Air start
Power	2,500 HP (1,865 kW)
Weight	7,675 kg
Fuel system	HPI
Others	Fan clutch, flywheel, pre-lube pump, imported alternator, maintenance-free oil filter












QSK23

Hitachi EX1200-6/7

APPLICATION -HITACHI

Model	Cummins QSK23
Application	Hitachi EX1200-6/7
Start Up	Electric start
Power	760 HP (567 kW)
Weight	2,858 kg
Fuel system	MCRS
Others	Supplied exactly as the configuration shown











QSK38

Hitachi EX1900

APPLICATION -HITACHI

Model	Cummins QSK38-C
Application	Hitachi EX1900
Start Up	Electric start
Power	1,086 HP (810 kW)
Weight	5,400 kg
Fuel system	MCRS
Others	With pre-lube pump, air compressor, alternator











QSK50

Hitachi EX2600

APPLICATION
-HITACHI

Model	Cummins QSK50
Application	Hitachi EX2600
Start Up	Electric start
Power	1,500 HP (1,119 kW)
Weight	6,455 kg
Fuel system	MCRS
Others	











QSK60

Hitachi EX3500


APPLICATION -HITACHI

Model	Cummins QSK60
Application	Hitachi EX3500
Start Up	Electric start
Power	1,760 HP (1,312 kW)
Weight	8,570 kg
Fuel system	MCRS
Others	











QSK50

Hitachi EH3500

APPLICATION
-HITACHI

Model	Cummins QSK50
Application	Hitachi EH3500
Start Up	Electric start
Power	2,000 HP (1,491 kW)
Weight	6,455 kg
Fuel system	MCRS
Others	











KTA19-C525

Terex TR50 / 3370

APPLICATION -TEREX

Model	Cummins KTA19-C525
Application	Terex TR50 / 3370
Start Up	Electric start
Power	525 HP (392 kW)
Weight	1,460 kg
Fuel system	PT
Others	



Engine photo: reference unit of the same family



QSK19-C700

Terex TR60

APPLICATION -TEREX

Model	Cummins QSK19-C700
Application	Terex TR60
Start Up	Electric start
Power	700 HP (522 kW)
Weight	1,970 kg
Fuel system	MCRS
Others	











KTA38-C1050

Terex TR100

APPLICATION -TEREX

Model	Cummins KTA38-C1050
Application	Terex TR100
Start Up	Electric start
Power	1,050 HP (783 kW)
Weight	4,300 kg
Fuel system	PT
Others	













QSK50

Terex MT3700 / NTE200

APPLICATION -TEREX

Model	Cummins QSK50-C2000
Application	Terex MT3700 / NTE200
Start Up	Electric start
Power	2,000 HP (1,491 kW)
Weight	6,800 kg
Fuel system	MCRS
Others	











QSK60


Terex MT4400 / NTE240


APPLICATION -TEREX

Model	Cummins QSK60-C2500
Application	Terex MT4400 / NTE240
Start Up	Electric start
Power	2,500 HP (1,860 kW)
Weight	8,800 kg
Fuel system	MCRS
Others	











QSK60

Terex MT5500 / NTE320


APPLICATION -TEREX

Model	Cummins QSK60 (two-stage turbocharged)
Application	Terex MT5500 / NTE320
Start Up	Electric start
Power	2,700 HP (2,013 kW)
Weight	9,000 kg
Fuel system	MCRS / HPI
Others	











QSK38

Liebherr R9200


APPLICATION -LIEBHERR

Model	Cummins QSK38
Application	Liebherr R9200
Start Up	Electric start
Power	1,086 HP (810 kW)
Weight	5,400 kg
Fuel system	MCRS
Others	With pre-lube pump, air compressor, alternator











QSK45

Liebherr R9250


APPLICATION
-LIEBHERR

Model	Cummins QSK45
Application	Liebherr R9250
Start Up	Electric start
Power	1,287 HP (960 kW)
Weight	6,500 kg
Fuel system	HPI
Others	











QSK50

Liebherr R9400

APPLICATION -LIEBHERR

Model	Cummins QSK50
Application	Liebherr R9400
Start Up	Electric start
Power	1,676 HP (1,250 kW)
Weight	6,675 kg
Fuel system	MCRS
Others	Oil pan configuration may differ from photo









ENGINE PARTS & OVERHAUL KITS

Beyond complete engines, we supply genuine Cummins and MTU parts with factory part numbers — for planned overhauls, breakdowns and fleet spares.

01 Turbochargers

Complete turbos and cartridges, matched to engine CPL and rating.



02 Injectors & Fuel System

Injectors, fuel pumps, rails, valves and fuel lines for HPI / MCRS / PT systems.



03 Cylinder Heads

Complete heads, valves, springs, seats and rocker components.



04 Liners, Pistons & Rings

Cylinder kits: liners, pistons, ring sets, pins and seals.



05 Bearings & Gasket Sets

Main and rod bearings, thrust washers, upper / lower gasket sets.



06 Overhaul Kits

In-frame and out-of-frame kits, packed per engine model.



07 Filters

Fuel, lube, water and air filters for scheduled maintenance.



08 ECMs & Sensors

Engine control modules, harnesses, pressure and temperature sensors.



09 Water & Oil Pumps

Water pumps, lube oil pumps, thermostats and coolers.



100% genuine parts · Factory part numbers · Stock in China · Fast export

PARTS COVERAGE
& HOW TO ORDER

Engine models covered

QSK19 | QSK23 | QST30 | KTA38 | QSK38

QSK45 | QSK50 | QSK60 | QSK78 | KTA50

MTU 4000

Other Cummins / MTU mining engines on request.

How to get an exact quotation

1 Send engine data

Engine model plus ESN / CPL from the nameplate, or the part number and quantity.

2 We check & confirm

We verify the configuration against factory data, so the right part ships the first time.

3 Quotation & shipping

Clear quotation with availability; export packing and documents arranged from Shanghai.

Urgent & long-lead parts

Backup sourcing for breakdowns and hard-to-find items to reduce equipment downtime.

Small trial orders welcome

Start with a small parts order to test our quality and service before larger purchases.

CONTACT US

Send us the engine model, ESN / CPL or part number and quantity — we reply with availability and a clear quotation.

上海拓维行贸易有限公司
Shanghai Towelink Trading Co., Ltd.

Add: Room 1214, No. 16, Lane 155 Xinyuan Road, Jiading District, Shanghai, China
Contact: Tony Tan, International Sales Director
Email: tony@towelinkglobal.com WhatsApp: +86 189 1752 6808
Web: www.towelinkglobal.com